3M Graphics Warranties

3M Performance Guarantee

3M Performance Guarantee

3M Performance Your Choice For Peace Of Mind

3M Basic Product Warranty





When you've made the decision that only the best will do, why look anywhere else? 3M offers you a choice of graphic materials and a choice of warranties that give you everything you need. Starting with peace of mind.

3M Graphics Warranties At A Glance

		3M Basic Product Warranty for All 3M Graphic Products	3M Performance Guarantee for Specific 3M Inkjet Products with Qualified OEM Inks	3M [™] MCS [™] Warranty for Finished Graphics made using all 3M Graphic Products
Coverage				
Physical Defects in 3M Product	Obvious damage for any reason	✓	✓	✓
Manufacturing Defects and Ink Performance	Visual defects	✓	✓	✓
	Adhesive defects	✓	✓	✓
	Adhesion failure on recommended substrates		✓	✓
Printing Defects and Ink Performance	Image defects when printing		✓	✓
	Excessive image fading			✓
	Image cracking, crazing or peeling			✓
	Blistering			✓
	Excessive dimensional change			✓
Cutting Defects	Clean cutting and weeding		✓	✓
Graphic Appearance	As defined in Product Bulletin for 3M Products only		✓	✓
Warranty Period for specific graphic constructions	As defined in base film's Product Bulletin		✓	✓
Removal	Removable or changeable films do not remove as stated		✓	✓
Additional Coverage for 3M™ Panaflex™ Awning and Sign Facing and 3M™ Panagraphics™ Flexible Substrates	Seam or splice failure when made as recommended			✓
	Blowout when used as recommended			√
	Mildewing			✓
	Wicking			✓

Just enough protection for many promotional graphics.

3M Basic Product Warranty

What 3M Guarantees for 3M Graphic Products

Individual Product Limited Warranty

3M warrants to the Distributor, Graphics Manufacturer and End User for whom a graphic was produced that each 3M Product will be free of the defects listed below and manufactured to the specifications described in the applicable Product Bulletin in effect at the time of purchase. Additional warranties, if any, offered by the Distributor or Graphics Manufacturer are separate and exclusive of the 3M Warranty.

Definitions

Please see a complete list of definitions at the end of this document, which will help you understand the terms of the Warranty.

Expected Performance Life

Expected Performance Life is a reliable expectation of the period of time that the unprinted, unprocessed 3M Product should perform satisfactorily for its intended purpose when applied to flat, vertical substrates in a non-abusive environment. Expected Performance Life is not a warranted period of time.

Defect Coverage

This coverage applies only when the defect results in the 3M Product not meeting the description stated in the applicable Product Bulletin and whether such defects affect the usefulness of the Graphic as determined by customary industry standards.

- Physical Defects. Defects incurred during 3M manufacturing processes, packaging or shipment.
- Manufacturing Defects. Visual and adhesive defects due to 3M manufacturing processes.
- Graphic Appearance Defects. Defects such as excessive dimensional change or loss of adhesion or reflectivity that makes the graphic visually unsuitable for its intended purpose when viewed with the intended lighting, angle and distance for such a graphic, as determined by customary industry standards.

Warranty Limitations

3M Product Bulletins may include limitations specific to the 3M Product(s) being used or its intended applications, which take precedence over any statement made in this Warranty Brochure. Bulletins may be obtained at www.3Mgraphics.com.

These limitations apply when the Basic Product Warranty is the only warranty offered, and are due to factors over which 3M has no control, including the wide variety of ink, printing and manufacturing processes that may be employed.

 Fitness for Use Limitation. 3M may recommend but does not warrant fitness for any particular use or any particular compatible products.

- Product Misuse Limitation. This
 warranty does not cover graphic
 products that are modified or damaged
 through improper storage, misuse,
 abuse, accident, vandalism, neglect
 or mishandling of processed or
 unprocessed products by any person.
- Printing and Visual Appearance
 Limitation. No warranty is given for
 satisfactory printing, including but not
 limited to type or manufacturer of ink,
 color fidelity or density.
- Adhesion, Changeability and Removability Limitation. No warranty is given for initial or long term adhesion or the ease or efficiency of removing a film identified as changeable or removable.
- Damage to the Substrate. No warranty is given for damage to the substrate due to the effect of the adhesive, ink bleed through or fading.

Remedies and Limitation of Liability

3M's sole liability under the terms of the Basic Product Warranty is credit or replacement of the 3M Product. 3M requires samples of the defective 3M Product and the return of the remaining unused 3M Product before a claim is evaluated for approval.

Guaranteeing the performance of 3M inkjet films, graphic protection and application tape when used with over 40 OEM inks and printers.

3M Performance Guarantee

What 3M Guarantees for Specific 3M Inkjet Products with Qualified OEM Inks

Individual Product Limited Warranty

3M warrants to the Distributor, Graphics Manufacturer and End User for whom a graphic was produced that when the 3M Product is used according to 3M's written guidelines, it will be suitable for the recommended types of graphics and end uses, and will perform satisfactorily for the Warranty Period as stated in the applicable 3M Product Bulletin in effect at the time of purchase. Additional warranties, if any, offered by the Distributor or Graphics Manufacturer are separate and exclusive of the 3M Warranty.

Definitions

Please see a complete list of definitions at the end of this document, which will help you understand the terms of the 3M Warranty.

Warranty Period

The Warranty Period for the 3M Performance Guarantee is a period of time during which 3M guarantees that the 3M Products used in a graphic, but not the 0EM ink and therefore not the finished graphic, will perform as stated in the 3M Base Film's current Product Bulletin when the 3M Product is processed, used and applied according to 3M's Product and Instruction Bulletins.

Defect Coverage for all 3M Graphic Products

This coverage applies only when the defect results in the 3M Product not meeting the description stated in the applicable Product Bulletin and whether such defects affect the usefulness of the Graphic as determined by customary industry standards.

- Physical Defects. Defects incurred during manufacturing, packaging or shipment.
- Manufacturing Defects. Visual and adhesive defects that prevent using the Product as described in its Product Bulletin, including adhesion to the recommended substrates and removal when using removable or changeable film
- Printing Defects. Artifacts or misprints that occur due to a defect in the 3M Product when printing on 3M Graphic Films specified in the 3M Performance Guarantee Matrix and using the 3M-qualified printers and OEM inks.
- Cutting Defects. Clean cutting and weeding characteristics when cut as recommended in the film's Product Bulletin.
- Graphic Appearance Defects. Defects such as excessive dimensional change, loss of adhesion or loss of reflectivity of 3M Graphic Films that makes the graphic visually unsuitable for its intended purpose when viewed with the intended lighting, angle and distance for such a graphic.

Warranty Limitations

3M Product Bulletins may include limitations specific to the 3M Product(s) being used or its intended applications, which take precedence over any statement made in this Warranty Brochure. Bulletins may be obtained at www.3Mgraphics.com.

These limitations apply when the 3M Performance Guarantee is the only warranty offered, and are due to factors over which 3M has no control, including the wide variety of printing

and manufacturing methods that may be employed.

- Fitness for Use Limitation. 3M makes no claim for fitness of use other than those described in the applicable Product Bulletins in effect at the time of purchase.
- Product Misuse Limitation. This
 warranty does not cover graphic
 products that are modified or damaged
 through improper storage, misuse,
 abuse, accident, vandalism, neglect or
 mishandling of processed or unprocessed
 products by any person.
- Ink Performance Limitation. 3M does not warrant the 3M Graphic Product if failure is due to performance or appearance issues related to the OEM inks used, such as image fading, cracking, peeling or any other issues associated with the printing ink.
- Improper Substrate Preparation Limitation. 3M does not warrant 3M Product failure that results from an improperly cleaned and prepared substrate.
- Paint Staining Limitation. 3M does not warrant vehicle paint staining that may be visible after removing an inkjet printed graphic with an overlaminate.

Remedies and Limitation of Liability

3M's sole liability under the terms of the Performance Guarantee is replacement or credit for the defective 3M Products within the Warranty Period of the Product. 3M requires that samples of the failure be submitted when a claim is made and before a remedy is offered.

The gold standard in finished graphics warranties.

3M™ MCS™ Warranty

What 3M Guarantees for Finished Graphics Made Using All 3M Graphic Products

Individual Product Limited Warranty

3M warrants to the Distributor and Graphics Manufacturer that when the 3M Product is used according to 3M's written instructions, it will be suitable for the recommended types of graphics and end uses, and will perform satisfactorily for the Warranty Period as stated in the applicable 3M Product Bulletins in effect at the time of the Product purchase. Additional warranties, if any, offered by the Distributor are separate and exclusive from the 3M Warranty.

Finished Product Limited Warranty

3M further warrants to the End User for whom a graphic was produced that when graphics are made using exclusively 3M Graphics Products, 3M will honor all warranties extended to the Distributor or Graphics Manufacturer who sold or produced the graphics as described in the applicable 3M Product and Instruction Bulletins in effect at the time of the Product purchase. Additional warranties, if any, offered by the Distributor or Graphics Manufacturer are separate and exclusive from the 3M Warranty.

Definitions

Please see a complete list of definitions at the end of this document, which will help you understand the terms of the 3M Warranty.

Warranty Period for Finished Graphics

The Warranty Period is the period of time during which 3M guarantees that when all 3M Products are used in a graphic construction, the graphic construction will perform as stated in the 3M Base Film or Substrate's current Product Bulletin when the 3M Products are processed, used and applied according to 3M's Product and Instruction Bulletins.

Defect Coverage for all 3M Graphic Products

This coverage applies only when the defect results in the 3M Product not meeting the description stated in the applicable Product Bulletin and whether such defects affect the usefulness of the Graphics as determined by customary industry standards.

- Physical Defects. Defects incurred during manufacturing, packaging or shipment.
- Manufacturing Defects. Visual and adhesive defects that prevent using the 3M Product as described in the applicable Product Bulletin, including adhesion to the recommended substrates.
- Printing and Ink Defects. Artifacts
 or misprints over which the graphics
 manufacturer has no control when
 printing on 3M Graphic Film or 3M
 Flexible Substrate with the recommended
 3M Inks or 3M Toners and related
 imaging equipment.
- Cutting Defects. Clean cutting and weeding characteristics when cut as recommended in the applicable 3M Product Bulletin.

• Finished Graphic Appearance Defects. Defects, including those attributed to 3M ink, such as excessive fading, discoloration, cracking, crazing, peeling, blistering, excessive dimensional change or loss of adhesion or reflectivity that makes the graphic visually unsuitable for its intended purpose when viewed with the intended lighting, angle and distance for such a graphic, as determined by customary industry standards.

Warranty Limitations

3M Product Bulletins may include limitations specific to the 3M Product(s) being used or its intended applications, which take precedence over any statement made in this Warranty Brochure. Bulletins may be obtained at www.3Mgraphics.com.

These limitations apply when the 3M[™] MCS[™] Warranty is the only warranty offered and are due to factors over which 3M has no control, including the wide variety of printing and manufacturing methods that may be employed.

Defined End Uses Limitation. This
warranty only applies to 3M Graphics
Products that are used by knowledgeable
and skilled graphics manufacturers and
installers for the end uses and in the
combinations described in the applicable
3M Product and Instruction Bulletins.
For any other use, the user is responsible
for determining the suitability of the
Product and for any and all risk or liability
associated with that use or application.

Offering peace of mind to discriminating users.

- Product Misuse Limitation. This
 warranty does not cover graphic products
 or finished graphics that are modified
 or damaged through improper storage,
 misuse, abuse, accident, vandalism,
 neglect or mishandling of processed or
 unprocessed products by any person.
- Adhesion to Application Surfaces Limitation. This warranty does not cover

the graphic



3M[™] MCS[™] Warranty

or damage to the substrate because the layers of the substrate (such as a clear coat and paint on a metal substrate) separate due to a lower bond between those layers than the bond between the graphic and the top layer of the substrate.

- Weathering Effects Limitation. Some degradation of 3M Products and Finished Graphics over time is considered normal wear. 3M warrants that at the end of the Warranty Period, the graphics will be in commercially-acceptable service condition from normal viewing distances and the 3M Graphic Products will retain their stated properties.
- Printhead Limitation. 3M does not warrant the performance of printheads. Contact the printer manufacturer for evaluation of any problem.
- Improper Substrate Preparation
 Limitation. 3M does not warrant product failure that results from an improperly cleaned and prepared substrate.
- Paint Staining Limitation. 3M does not warrant vehicle paint staining that may be visible after removing an inkjet printed graphic with an overlaminate.

 Glass Breakage Limitation. This warranty does not cover glass breakage.

Special Defect Coverage and Warranty Limitations for 3M[™] Panaflex[™] Awning and Sign Facing Material and 3M[™] Panagraphics[™] Flexible Substrate

These Defect Coverages and Warranty Limitations apply only to 3M Flexible Substrates and are in addition to other Defect Coverages and Warranty Limitations described in this document.

- Seam or Splice Failure. When using a reliable, professional hardware system that is specifically designed for mounting flexible sign materials that meets local, state and national codes, is properly designed and the awning or sign is installed by a professional sign installer, 3M warrants that awning or sign face seams or splices made by 3M or its approved fabricators will not separate, the facing will not delaminate, applied 3M graphics will not have excessive cracking or peeling, and the finished graphic will not excessively stretch, wrinkle or sag for the Warranty Period.
- Blowout. An internally-illuminated sign face up to 625 square feet (56.25 square meters) will not be damaged by winds up to the velocities that the sign cabinet is designed to withstand. Blowout is defined as the failure of a seam or splice, tearing of the 3M Product, or separation of a sign face from its cabinet due to wind pressure that does not affect the display cabinet or structure when

- 3M recommended installation procedures are followed.
- Mildewing. These 3M Products will not promote mildew growth, and any such growth will be non-invasive and cleanable by following the 3M-recommended cleaning instructions.
- Wicking. These 3M Products will resist wicking, which is the absorption of dirt and contaminants by the internal reinforcing fabric.
- Remedies and Limitations of Liability.
 3M does not warrant the following items.
 Also see the Warranty Limitations and Remedies and Limitations of Liability in the following section of this brochure.
- Damage due to force majeure, such as abnormally high winds or objects being blown against the sign face.
 - Damage to an awning or sign face due to improper frame or sign cabinet construction, installation or tensioning.
 - The reapplication of new graphics to an existing awning or sign face.
 - Cleaning with a pressure washer.
 - Wicking when the 3M Product is not discolored.
 - Vandalism.

The warranty you want when your reputation is on the line.

3M™ MCS™ Warranty

Remedies and Limitations of Liability

3M Products. For any 3M Graphic Product that does not meet the above warranty terms (for approved warranty claims), upon timely notification, 3M's sole responsibility, and the Distributor, Graphics Manufacturer and End User's exclusive remedy shall be at 3M's option:

(A) Credit the full purchase price of all 3M Products used to produce the graphic; or

(B) Replace all 3M Products consumed in the manufacture of the graphics.

No Extension of Warranty. In the case of an approved warranty claim, the replacement graphic or 3M Products carry only the remaining term of the original graphic or 3M Products' Warranty Period as stated in the applicable 3M Product Bulletin.

Special Reimbursement Remedies for Specific Approved Warranty Claims

- Removable and Changeable Films
 Removal Remedy. Does not include Fleet
 Labor claims. If the 3M Film described
 in the applicable 3M Product Bulletin as
 Removable or Changeable cannot be
 successfully removed or an excessive
 amount of adhesive residue remains on
 the surface exceeding the expectations
 set in the Base Film's Product Bulletin,
 3M will reimburse the purchaser for
 reasonable and documented additional
 costs over and above normal labor costs
 for removal for approved warranty claims.
- Labor Reimbursement Remedy for Straight Trucks, Semi-Tractors and Semi-Trailers Covered by the Lifetime Warranty. This remedy is offered exclusively to the original graphics

purchaser with these limitations: (a) the graphics are made from one of the 3M Products listed below, and (b) applied to new Straight Trucks, Semi-Tractors and Semi-Trailers that (c) are still owned by the original graphics purchaser. The products included in this Remedy are the following 3M Films in white and selected colors as described in the applicable 3M Product Bulletin: 3M™ Controltac™ Graphic Films (with and without Comply™ Adhesive) 180, 180C, 180Cv2, 8620, 8620C, and 3M™ Scotchlite™ Reflective Graphic Film (with and without Comply™ Adhesive) 680, 680CR. For applications that meet these requirements, 3M will reimburse a reasonable portion of the direct costs, based on the pro-rated 3M Product replacement and labor reimbursement described in the Base Film's Product Bulletin, to remove, remake and reapply graphics that meet these requirements for approved warranty claims.

 Paint Refurbishing Remedy for **Commercial Vehicle and Recreational** Vehicles. Does not include Personal Vehicles Claims. When (a) graphics are made using exclusively 3M-recommended removable or changeable films, products and procedures, and (b) there is proof that the 3M Pre-Installation Inspection and Record (available in 3M Instruction Bulletin 5.36) was completed, including photographs of the vehicle, before the graphics were installed, 3M will pay a portion of the reasonable costs of refurbishing painted surfaces when the vehicle surface is damaged during film removal (not including damage caused by tools or chemicals) for approved warranty claims. 3M's coverage will not exceed two times (2X) the cost of 3M Products used to mark an individual vehicle and will be limited to an annual disbursement of no more than 2% of the graphics manufacturer's total 3M Products purchased during the calendar year for the production of vehicle graphics. This limitation applies to each manufacturer's total purchases for all locations. The amount of total purchases does not accumulate and cannot be carried over to future years.

Labor Reimbursement Remedy Limitations. None of the reimbursement remedies described above includes coverage for the following:

- Labor reimbursement for graphics covered by any 3M warranty except the 3M™ MCS™ Warranty.
- Compensation for machine burden, overhead, travel, supervision, lost profits or other consequential damages.
- Compensation for damage to the following substrates resulting from graphic removal, even when using a removable or changeable graphic film.
 - Any interior painted architectural surface (for example, walls).
 - Any surface that has a pre-existing unstable or unsound paint or surface finish.
 - Any surface that has damage, improperly repaired damage, or damage that occurs while the graphic is in use, such as holes in walls or body damage on fleet or vehicles.

Definitions

Adhesive	Changeable	Easily removable with no heat and no adhesive residue.
	Permanent	Not intended to be removed.
	Removable	Film is removable when heat is used within the specified time period and leaves no more than 10% adhesive residue on flat and simple curves without rivets, and no more than 30% adhesive residue on rivets and corrugations.
	Pressure Activated	Adhesive is slideable and repositionable until firm pressure is applied. NOTE: Reflective films with pressure-activated adhesive are slideable only.
	Pressure Sensitive	Adheres upon contact; is not slideable or repositionable.
Base Film		The 3M film or flexible substrate that is decorated with printing or other cut film to create a graphic.
Exposure	U.S. Vertical Exposure	The face of the graphic is $\pm 10^{\circ}$ from vertical.
	U.S. Non-vertical Exposure	The face of the graphic is greater than 10° from vertical and greater than 5° from horizontal. This includes non-vertical surfaces of vehicle wraps or fleet graphics.
	U.S. Horizontal Exposure	The face of the graphic is $\pm 1/-5^{\circ}$ from horizontal.
	U.S. Desert Southwest Exposure	Any outdoor graphic exposed to solar energy more than half of the daylight hours in Arizona, New Mexico and the desert areas of California, Nevada, Utah and Texas is subject to reduced warranties. A detailed map is available at 3Mgraphics.com under Warranties.
Finished Graphic		A graphic that has been applied to the intended substrate and is considered fully finished.
Graphic Construction		The products used to make a graphic, which may include film and/or flexible substrate, graphic protection, ink, printer and application tape.
Graphic Protection		Overlaminate films or clear coats used to protect the graphic and/or change gloss.
Graphic Types	Indoor Signs	Stationary graphics applied indoors and not exposed to the elements.
as identified in Product Warranty Matrices	Outdoor Signs	Stationary graphics applied outdoors and exposed to the elements.
	OEM	Labels and decorative graphics produced for and used by original equipment manufacturers.
	Vehicle	Vehicle. Buses, vans, passenger vehicles, delivery trucks, pickup trucks, enclosed trailers. Certain restrictions may apply as noted in the applicable Product Bulletin.
		Straight Trucks, Semi-Tractors and Semi-Trailers. Straight trucks, semi-tractors and semi-trailers used for commercial business purposes. Excludes air shields. May be eligible for a Lifetime Warranty.
		Recreational Vehicle (RV). Vehicles used for personal pleasure, such as campers, motor homes and trailers, that are not used in connection with any commercial or business enterprise.
		Watercraft. Boats intended for personal pleasure such as runabouts and speedboat having aluminum and/or smooth fiberglass/gel coat bodies, including boats used in fishing tournaments and off-shore racing boats, but not 1 to 3 person personal watercraft or other boats used in connection with commercial or business enterpris 3M specifically excludes all other recreational vehicles from this definition.
		Rail. Rail cars and lead cars of trains, light rail and subways, but not locomotives or engines.
	Floor Graphics	Printed graphics with a slip-resistant overlaminate that are applied to selected indoc floor surfaces.
	Sidewalk Signs	Printed graphics with a slip-resistant overlaminate that are applied to selected outdoor pedestrian walkway surfaces.
	First Surface	Film applied to a substrate so the viewer sees the film/image before the substrate.
	Second Surface	Film applied to a substrate so the viewer sees through the substrate to the film/image.

About These Warranties

The warranties stated in this document are exclusive and are made in place of any and all express or implied warranties or conditions, including any implied warranty of merchantability or fitness for a particular purpose, or any industry practice or custom or trade usage.

The warranties and limited remedies stated in this document may not be modified except in writing and modifications must be signed by the U.S. Commercial Graphics business director. The terms, conditions, limitations and remedies of all warranties are contingent upon using the 3M Products as described in the applicable 3M Product and Instruction Bulletins. Failure to follow the instructions will void all warranties and limited remedies.

EXCEPT AS SPECIFICALLY STATED IN THIS DOCUMENT, 3M SHALL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, LOSS OF PROFITS, REVENUE OR BUSINESS) RESULTING FROM, OR IN ANY WAY RELATED TO PERFORMANCE, USE OR INABILITY TO USE ANY OF THE 3M PRODUCT OR 3M COMMERCIAL GRAPHICS PRODUCTS. This limitation applies regardless of the legal theory upon which damages are sought.

Certificate of 3M™ MCS™ Warranty

Graphics manufacturers who produce graphics made with all 3M Graphics Products, including 3M Ink purchased thorough a qualified 3M Distributor or 3M Printing Partner, may registered to be recognized with a Certificate of 3M™ MCS™ Warranty. This 3M recognition provides assurance to your customers of your ability to produce graphics covered by the 3M™ MCS™ Warranty. This registration and certificate is not required, however, to offer the warranty. Go to www.3Mgraphics.com/warrantyregistration.

Additional Resources

These information sources are available on our Website at www.3Mgraphics.com.

- Product Bulletins
- Instruction Bulletins
- Digital Printing Warranty Matrices

This document is available as a printed brochure; please contact your 3M sales representative or customer service representative to obtain a copy.

Commercial Graphics Claims Procedure

End Users

Contact your graphics manufacturer who may submit a claim on your behalf.

Distributors and Graphics Manufacturers

If you purchase direct from 3M, the required method for initiating a claim is to use the on-line product quality complaint form, which provides complete details. Go to www.3mgraphics.com/qualitydirect or call toll-free, 1-800-511-3705 in the U.S. To be eligible for adjustment, 3M must receive notice within sixty (60) days after the reason for the claim was discovered.





